



Krono
Original
High Quality
Made by Kronospan

everyone's
favourite flooring



100% ORIGINAL
HIGH PERFORMANCE FLOOR
• MADE BY KRONOSPAN •



K057 Clearwater Oak [SUPER NATURAL]



Welcome to our world www.krono-original.com

■ Design and surface textures	06
■ Features guide	07
■ MO.RE! technology	08
■ Assortment	10

Collections



ATLANTIC 12	12
ATLANTIC 8	26
VINTAGE	58
IMPRESSIONS	94
SUPER NATURAL	108
CASTELLO	156

■ Accessories	180
■ Packaging information	183

Over 70 designs.

From classic to modern.

So there will always be a floor that is to your taste.

Elegant floors. Aesthetically pleasing and high quality. Available in more than 70 attractive designs to give your surroundings a unique flair.


Let yourself be inspired by the diversity of KronoOriginal® floors.



K479 Espresso Carpenter Oak [VINTAGE]

The look and feel of real wood and stone.

The latest KronoOriginal® collection is our widest-ever range of new decors; they comprise new trends, and new surface textures and finishes inspired by leading designers. We constantly work to develop our products, creating new unique decors with perfectly matched wood and stone textures and panels of different sizes.



Your benefits at a glance.



GUARANTEE

All KronoOriginal® laminate floors are put through a series of rigorous tests in order to comply with international quality standards, which is why we grant an extensive residential warranty with every product (detailed terms of guarantee: www.krono-original.com).



A.B.C. ANTI BACTERIAL COMFORT

Keeping your flooring as clean and free of bacteria as possible is naturally a major concern. A KronoOriginal® A.B.C. Anti Bacterial Comfort inhibits the growth of bacteria on your flooring and provides you with the peace-of-mind that comes from a healthy home environment.



STAIN AND IMPRINT RESISTANT

Whatever you might spill, whether red wine, oil or coffee, don't panic; it can be easily removed. KronoOriginal® is also abrasion resilient, robust and durable.




AUTHENTIC EMBOSSED

The high quality Authentic Embossed structures feature elegant contrasting and a thrilling multi-gloss effect that emphasises the depth of the structure with matt and gloss elements that reflect the light differently. The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.



ECO FRIENDLY

All KronoOriginal® floors are environmentally friendly as standard made of up to 90% wood sourced from sustainably managed forests. What's more, the entire production chain – from raw materials to the finished product – has been certified and is regularly inspected by independent experts, ensuring peace of mind for you – and protection of our environment.



MICROSCRATCH PROTECT

This especially durable surface will protect your floors even better against microscratches which can occur through heavy use. With Microscratch Protect, your flooring will be well-protected against fine scratches and everyday wear and tear.



4-SIDED BEVELLED EDGES

The planks have bevelled edges on all four sides of the panel to ensure an authentic floorboard appearance.



INSTALLATION

The KronoOriginal® installation systems have been specifically designed to make fitting your laminate flooring as easy and hassle free as possible. The click profiles allow individual panels to be joined together quickly with minimal tools or complications.



*Tested germs: Staphylococcus aureus

NEW!






**Take more.
Endure more.
Withstand more.**



MO.RE! reliability
Floors featuring MO.RE! technology offer you as much as 48 hours of splash-water protection.*

Antibacterial comfort
It goes without saying that keeping your floor as clean and bacteria-free as possible is important to you. The A.B.C. surface** does not provide a basis for bacteria to grow. With regular cleaning, you and your family can enjoy everyday life without any worries.

Pet proof
Thanks to their robust surface, MO.RE! technology and the antibacterial comfort, Atlantic floors are eminently suitable for households with pets.



How MO.RE! technology works

MO.RE! technology is based on a new substrate formulation. This makes the floor significantly less prone to swelling and therefore more resistant to the effects of water than conventional laminate floors.

Spilled a drink? Knocked over the mop bucket? Has a flower pot leaked onto the floor? There's no reason to panic: floors featuring MO.RE! technology can withstand such mishaps. You can wipe

up the liquid in peace and don't need to worry about whether your floor has been damaged. MO.RE! makes this possible!




* According to works standard specification KRONOSPAN WN-103, www.floor-with-more.com.
** Tested germs: Staphylococcus aureus

Product overview

Range Plank Size	Utilization Class	AC Rating	Residential Guarantee ²	Anti Bacterial Comfort ³
ATLANTIC 12 1285 x 192 x 12 mm	33	AC5	30 years	
ATLANTIC 8 1285 x 192 x 8 mm	32	AC4	20 years	
VINTAGE 1285 x 192 x 10 mm	32	AC4	30 years	
IMPRESSIONS 635 x 327 x 8 mm	32	AC4	20 years	
SUPER NATURAL 1285 x 192 x 8 mm	32	AC4	20 years	
CASTELLO 1285 x 192 x 8 mm	32	AC4	20 years	

www.krono-original.com
www.facebook.com/KronoOriginal

Locking system	V-Groove	Microscratch Protect	Authentic Embossed	Moisture Resistance	SKUs total
					6
					15
					17
					6
					23
					10
					Σ 77



1) Selected decors
2) According to the conditions of guarantee (detailed terms of guarantee: www.krono-original.com)
3) Tested germs: Staphylococcus aureus

ATLANTIC 12



1285 x 192 x 12 mm

AC5 | Class 33

**The laminate floor
that can simply do more.**



K476 Inca Carpenter Oak



ATLANTIC 12












K336

Iceberg Oak

NEW
in collection

thickness 12 mm
format 1285 x 192 mm
texture HC
lock 1clic 2go pure

 23 EN 13329	 33	 abrasion class ☆☆☆☆ AC5
 30 years guarantee	 real groove 4	 anti bacterial comfort + A.B.C. +
 microscratch protect	 authentic embossed	 pet proof
 eco-friendly naturally wood	 1clic 2go pure	



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 12



K476

Inca Carpenter Oak

thickness 12 mm
format 1285 x 192 mm
texture CM
lock 1clic 2go pure

23 EN 13329	33	abrasion class ★★★★★ AC5
30 years guarantee	real groove 4	anti bacterial comfort + A.B.C.
microscratch protect	authentic embossed	pet proof
eco-friendly naturally wood	1clic 2go pure	

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 12



K285 Haybridge Oak

NEW
in collection

thickness	12 mm
format	1285 x 192 mm
texture	HO
lock	1clic 2go pure




ATLANTIC 12



5542 Boulder Oak

NEW
in collection

thickness	12 mm
format	1285 x 192 mm
texture	HC
lock	1clic 2go pure



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 12



K287 Steelworks Oak

NEW
in collection

thickness 12 mm
format 1285 x 192 mm
texture HO
lock 1cllic 2go pure

23 EN 13329 30 years guarantee	33 real groove 4	abrasion class ★★★★★ AC5
microscratch protect	authentic embossed	anti bacterial comfort + A.B.C.
eco-friendly naturally wood	1cllic 2go pure	pet proof













* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 12



5541 Bedrock Oak

thickness 12 mm
format 1285 x 192 mm
texture HC
lock 1cllic 2go pure

 23 EN 13329	 33	 abrasion class ☆☆☆☆ AC5
 30 years guarantee	 real groove 4	 anti bacterial comfort + A.B.C.
 microscratch protect	 authentic embossed	 pet proof
 eco-friendly naturally wood	 1cllic 2go pure	

NEW
in collection



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 8



1285 x 192 x 8 mm

AC4 | Class 32

**The laminate floor
that can simply do more.**



K469 Tortilla Cashmere Oak



ATLANTIC 8



K460 Orchid Oak

thickness	8 mm
format	1285 x 192 mm
texture	NL
lock	1clic 2go pure



NEW



ATLANTIC 8



K469

Tortilla
Cashmere Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1clic 2go pure

23 EN 13329 20 years guarantee	32 real groove 4	abrasion class *** AC4
pet proof	eco-friendly naturally wood	anti bacterial comfort + A.B.C. +
		1clic 2go pure

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 8



K453

Biscotti Oak

thickness	8 mm
format	1285 x 192 mm
texture	HO
lock	1clic 2go pure

 23 EN 13329	 32	 abrasion class *** AC4
 20 years guarantee	 real groove 4	 anti bacterial comfort + A.B.C.
 authentic embossed	 pet proof	 eco-friendly naturally wood
 1clic 2go pure		

NEW



ATLANTIC 8



K452 Ashland Oak

thickness 8 mm
format 1285 x 192 mm
texture HO
lock 1clic 2go pure

23 EN 13329 20 years guarantee	32 real groove 4	abrasion class *** AC4
authentic embossed	pet proof	eco-friendly naturally wood
1clic 2go pure		

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 8



K326 Sundance Oak

NEW
in collection

thickness 8 mm
format 1285 x 192 mm
texture RO
lock 1clic 2go pure

 23	 32	 abrasion class *** AC4
 20 years guarantee	 real groove 4	 anti bacterial comfort ** A.B.C.
 authentic embossed	 pet proof	 eco-friendly naturally wood
 1clic 2go pure		

EN 13329



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus










ATLANTIC 8



K471

Antique Cashmere Oak

thickness	8 mm
format	1285 x 192 mm
texture	GT
lock	1cllic 2go pure

 23	 32	 abrasion class *** AC4
 20 years guarantee	 real groove 4	 anti bacterial comfort + A.B.C.
 pet proof	 eco-friendly naturally wood	 1cllic 2go pure

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 8



K327 Hillside Oak

thickness 8 mm
format 1285 x 192 mm
texture RO
lock 1clic 2go pure

23 EN 13329 20 years guarantee	32 real groove 4	abrasion class *** AC4
authentic embossed	pet proof	eco-friendly naturally wood
1clic 2go pure		

NEW
in collection



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 8



K450 Firebrand Oak

thickness	8 mm
format	1285 x 192 mm
texture	HO
lock	1clic 2go pure



NEW



ATLANTIC 8



K451 Silverdale Oak

thickness 8 mm
format 1285 x 192 mm
texture HO
lock 1clic 2go pure

- 23 32 abrasion class **AC4**
- EN 13329 real groove **4** anti bacterial comfort **A.B.C.**
- authentic embossed pet proof eco-friendly naturally wood
- 1clic 2go pure

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 8



K463

Weathered Volcano Oak

thickness	8 mm
format	1285 x 192 mm
texture	NL
lock	1clic 2go pure

 23	 32	 abrasion class *** AC4
 EN 13329 20 years guarantee	 real groove 4	 anti bacterial comfort ** A.B.C.
 pet proof	 eco-friendly naturally wood	 1clic 2go pure

NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

ATLANTIC 8



K472

Dove
Cashmere Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1clic 2go pure



NEW



ATLANTIC 8



K392 Atomic Oak

thickness 8 mm
format 1285 x 192 mm
texture RO
lock 1clic 2go pure

- 23 32
- EN 13329
- abrasion class **AC4** **anti bacterial comfort + A.B.C.**
- authentic embossed **pet proof** **eco-friendly naturally wood**
-

NEW
in collection



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus


ATLANTIC 8



K481

Urban Heritage Chestnut

thickness	8 mm
format	1285 x 192 mm
texture	NL
lock	1clic 2go pure



NEW



ATLANTIC 8



K461

Antique
Volcano Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1clic 2go pure

23 EN 13329 20 years guarantee	32 real groove 4	abrasion class *** AC4
pet proof	eco-friendly naturally wood	anti bacterial comfort + A.B.C.
		1clic 2go pure

NEW




ATLANTIC 8



K480

Colonial Heritage
Chestnut

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1clic 2go pure



NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

VINTAGE



AC4 | Class 32

A timeless combination.



K414 Corsair Oak

VINTAGE



K475

Virgin Scandi Larch

thickness 10 mm
format 1285 x 192 mm
texture VS
lock 1clic 2go pure



NEW



VINTAGE



5953

Chantilly Oak

thickness 10 mm
format 1285 x 192 mm
texture HO
lock 1clic 2go pure

 23	 32	 abrasion class *** AC4
 30 years guarantee	 real groove 4	
 microscratch protect	 authentic embossed	 eco-friendly naturally wood
 1clic 2go pure		



VINTAGE



K478

Mushroom
Carpenter Oak

thickness 10 mm
format 1285 x 192 mm
texture CM
lock 1clic 2go pure



NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

VINTAGE



K473

Pearl Scandi Larch

thickness 10 mm
format 1285 x 192 mm
texture VS
lock 1clic 2go pure



NEW



VINTAGE



K474

Oyster Scandi Larch

NEW

thickness 10 mm
format 1285 x 192 mm
texture VS
lock 1clic 2go pure

 23 EN 13329	 32	 abrasion class *** AC4
 30 years guarantee	 real groove 4	 anti bacterial comfort ** A.B.C.
 microscratch protect	 authentic embossed	 eco-friendly naturally wood
 1clic 2go pure		



VINTAGE



K413

Blackwater Oak

thickness 10 mm
format 1285 x 192 mm
texture OE
lock 1clic 2go pure

 23	 32	 abrasion class *** AC4
 30 years guarantee	 real groove 4	 anti bacterial comfort + A.B.C. +
 microscratch protect	 authentic embossed	 eco-friendly naturally wood
 1clic 2go pure		



VINTAGE




5943

Natural Hickory

thickness 10 mm
format 1285 x 192 mm
texture VH
lock 1clic 2go pure



EN 13329



VINTAGE



K477

Natural Carpenter Oak

thickness 10 mm
format 1285 x 192 mm
texture CM
lock 1clic 2go pure

 23	 32	 abrasion class *** AC4
 30 years guarantee	 real groove 4	 anti bacterial comfort + A.B.C.
 microscratch protect	 authentic embossed	 eco-friendly naturally wood
 1clic 2go pure		

NEW



VINTAGE



5947

Historic Oak

thickness 10 mm
format 1285 x 192 mm
texture HO
lock 1clic 2go pure

 23	 32	 abrasion class *** AC4
<small>EN 13329</small>		
 30 years guarantee	 real groove 4	 anti bacterial comfort * A.B.C.
 microscratch protect	 authentic embossed	 eco-friendly naturally wood
 1clic 2go pure		





VINTAGE



5537

Tawny Chestnut

thickness 10 mm
format 1285 x 192 mm
texture RC
lock 1clic 2go pure

 23	 32	 abrasion class *** AC4
<small>EN 13329</small>		
 30 years guarantee	 real groove 4	 anti bacterial comfort ** A.B.C.
 microscratch protect	 authentic embossed	 eco-friendly naturally wood
 1clic 2go pure		



VINTAGE



K476

Inca Carpenter Oak

thickness 10 mm
format 1285 x 192 mm
texture CM
lock 1clic 2go pure



NEW



VINTAGE



8155

Appalachian Hickory

thickness	10 mm
format	1285 x 192 mm
texture	VH
lock	1clic 2go pure



EN 13329












VINTAGE



K412

Doubleloon Oak

thickness 10 mm
format 1285 x 192 mm
texture OE
lock 1clic 2go pure

 23 EN 13329	 32	 abrasion class *** AC4
 30 years guarantee	 real groove 4	 anti bacterial comfort + A.B.C.
 microscratch protect	 authentic embossed	 eco-friendly naturally wood
 1clic 2go pure		



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus











VINTAGE



K411

Laguna Oak

thickness	10 mm
format	1285 x 192 mm
texture	OE
lock	1clic 2go pure

 23	 32	 abrasion class *** AC4
 30 years guarantee	 real groove 4	 anti bacterial comfort + A.B.C.
 microscratch protect	 authentic embossed	 eco-friendly naturally wood
 1clic 2go pure		



VINTAGE



8156

Red River Hickory

thickness 10 mm
format 1285 x 192 mm
texture VH
lock 1clic 2go pure

 23	 32	 abrasion class *** AC4
<small>EN 13329</small>		
 30 years guarantee	 real groove 4	 anti bacterial comfort A.B.C.
 microscratch protect	 authentic embossed	 eco-friendly naturally wood
 1clic 2go pure		



VINTAGE



K414

Corsair Oak

thickness 10 mm
format 1285 x 192 mm
texture OE
lock 1clic 2go pure



VINTAGE



K479

Espresso
Carpenter Oak

thickness 10 mm
format 1285 x 192 mm
texture CM
lock 1clic 2go pure



NEW



IMPRESSIONS



635 x 327 x 8 mm

AC4 | Class 32

**The look of
Ceramic tiles.**



K388 Pewter Slate









IMPRESSIONS



K385

Ice Flow

thickness	8 mm
format	635 x 327 mm
texture	RT
lock	1clic 2go pure

 23	 32	 abrasion class *** AC4
 20 years guarantee	 real groove 4	 anti bacterial comfort + A.B.C.
 eco-friendly naturally wood	 1clic 2go pure	

EN 13329











IMPRESSIONS



4375 Pearl Grey Oxide

NEW
in collection

thickness 8 mm
format 635 x 327 mm
texture AS
lock 1clic 2go pure

 23	 32	 abrasion class *** AC4
 20 years guarantee	 real groove 4	 anti bacterial comfort + A.B.C.
 eco-friendly naturally wood	 1clic 2go pure	

EN 13329

IMPRESSIONS



K035 Crosstown Traffic

thickness 8 mm
format 635 x 327 mm
texture AS
lock 1cllic 2go pure

23 EN 13329 20 years guarantee	32 real groove 4	abrasion class *** AC4
eco-friendly naturally wood	1cllic 2go pure	anti bacterial comfort + A.B.C. +











* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus



K387

Silverado Slate

thickness 8 mm
format 635 x 327 mm
texture OS
lock 1cllic 2go pure

 23	 32	 abrasion class *** AC4
 EN 13329 20 years guarantee	 real groove 4	 anti bacterial comfort A.B.C.
 authentic embossed	 eco-friendly naturally wood	 1cllic 2go pure



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus


IMPRESSIONS



K388

Pewter Slate

thickness	8 mm
format	635 x 327 mm
texture	OS
lock	1clic 2go pure




IMPRESSIONS



K389 Nightfall Slate

thickness	8 mm
format	635 x 327 mm
texture	OS
lock	1clic 2go pure



SUPER
NATURAL



1285 x 192 x 8 mm

AC4 | Class 32

A stunning new
achievement in realism.



K407 Ashenwood Oak

SUPER NATURAL



K484

Misty
Sterling Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1cllic 2go pure



NEW



SUPER NATURAL



8630

Aspen Oak

thickness 8 mm
format 1285 x 192 mm
texture LP
lock 1cllic 2go pure

23 EN 13329 20 years guarantee	32 real groove 4	abrasion class *** AC4
authentic embossed	eco-friendly naturally wood	1cllic 2go pure



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus










SUPER NATURAL



5543

Colorado Oak

thickness 8 mm
format 1285 x 192 mm
texture HC
lock 1cllic 2go pure

 23	 32	 abrasion class *** AC4
 20 years guarantee	 real groove 4	 anti bacterial comfort + A.B.C.
 authentic embossed	 eco-friendly naturally wood	 1cllic 2go pure

EN 13329



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

SUPER NATURAL



K418

Longbow Oak

thickness 8 mm
format 1285 x 192 mm
texture GT
lock 1cllic 2go pure

23
EN 13329

32

abrasion class

AC4

20
years
guarantee

real groove
4

anti bacterial
comfort
+ **A.B.C.**

eco-friendly
naturally
wood

1cllic 2go pure




SUPER NATURAL



K485

Natural
Sterling Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1clic 2go pure



NEW



SUPER NATURAL



5542 Boulder Oak

thickness 8 mm
format 1285 x 192 mm
texture HC
lock 1clic 2go pure



SUPER NATURAL



5946

Rockford Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1cllic 2go pure

23
32
abrasion class

AC4

EN 13329
20 years guarantee
real groove
4
anti bacterial comfort
+
A.B.C.

eco-friendly
naturally wood
1cllic 2go pure



SUPER NATURAL



8575

Blonde Oak

thickness 8 mm
format 1285 x 192 mm
texture LP
lock 1clic 2go pure

23 EN 13329 20 years guarantee	32 real groove 4	abrasion class *** AC4
authentic embossed	eco-friendly naturally wood	anti bacterial comfort + A.B.C. +
		1clic 2go pure



SUPER NATURAL



5966

Khaki Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1cllic 2go pure

23  32  abrasion class  **AC4**

EN 13329

20 years guarantee  real groove  anti bacterial comfort  **A.B.C.**

eco-friendly naturally wood  1cllic 2go pure 







SUPER NATURAL



K408

Outback Pine

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1cllic 2go pure

 23	 32	 abrasion class *** AC4
 20 years guarantee	 real groove 4	 anti bacterial comfort + A.B.C.
 eco-friendly naturally wood	 1cllic 2go pure	

EN 13329



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

SUPER NATURAL




K057

Clearwater Oak

thickness 8 mm
format 1285 x 192 mm
texture GT
lock 1clic 2go pure



EN 13329



SUPER NATURAL




5985

Sherwood Oak

thickness 8 mm
format 1285 x 192 mm
texture GT
lock 1cllic 2go pure



EN 13329




SUPER NATURAL



K338

Credenza Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1cllic 2go pure




SUPER NATURAL



K468

Gondola Oak

thickness 8 mm
format 1285 x 192 mm
texture GT
lock 1clic 2go pure



NEW




SUPER NATURAL



K483

Antique
Sterling Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1clic 2go pure



NEW



SUPER NATURAL



K419

Armoury Oak

thickness 8 mm
format 1285 x 192 mm
texture GT
lock 1clic 2go pure

23
EN 13329

32

abrasion class

AC4

20
years
guarantee

real groove
4

anti bacterial
comfort
+ **A.B.C.**

eco-friendly
naturally
wood

1clic 2go pure



SUPER NATURAL



8573

Harlech Oak

thickness 8 mm
format 1285 x 192 mm
texture LP
lock 1cllic 2go pure



SUPER NATURAL



8631

Castle Oak

thickness 8 mm
format 1285 x 192 mm
texture LP
lock 1cllic 2go pure

 23	 32	 abrasion class *** AC4
 20 years guarantee	 real groove 4	 anti bacterial comfort + A.B.C.
 authentic embossed	 eco-friendly naturally wood	 1cllic 2go pure

EN 13329







SUPER NATURAL



K407

Ashenwood Oak

thickness 8 mm
format 1285 x 192 mm
texture GT
lock 1clic 2go pure

 23 EN 13329	 32	 abrasion class *** AC4
 20 years guarantee	 real groove 4	 anti bacterial comfort A.B.C.
 eco-friendly naturally wood	 1clic 2go pure	




SUPER NATURAL



K482

Twilight
Sterling Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock 1clic 2go pure



NEW



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

SUPER NATURAL



8633

Shire Oak

thickness 8 mm
format 1285 x 192 mm
texture LP
lock 1clic 2go pure

23 EN 13329 20 years guarantee	32 real groove 4	abrasion class *** AC4
authentic embossed	eco-friendly naturally wood	1clic 2go pure



SUPER NATURAL



8274

Modena Oak

thickness 8 mm
format 1285 x 192 mm
texture RF
lock 1clic 2go pure

23
EN 13329

32

abrasion class

AC4

20
years
guarantee

real groove
4

anti bacterial
comfort
A.B.C.

eco-friendly
naturally
wood

1clic 2go pure



SUPER NATURAL



5541

Bedrock Oak

thickness 8 mm
format 1285 x 192 mm
texture HC
lock 1cllic 2go pure

23 EN 13329 	32 	abrasion class *** AC4
20 years guarantee	real groove 4 	anti bacterial comfort + A.B.C.
authentic embossed 	eco-friendly naturally wood 	1cllic 2go pure



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

CASTELLO



1285 x 192 x 8 mm

AC4 | Class 32

A classic look
with a new design.



K470 Natural Cashmere Oak



CASTELLO





K396

Skydive Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock Twin Clic

23  

32  


abrasion class


AC4

EN 13329

20 years guarantee

anti bacterial comfort
+ **A.B.C.**

eco-friendly
naturally wood 

twin clic 



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

CASTELLO




4282

Reykjavik Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock Twin Clic



EN 13329



EN 13329



EN 13329



CASTELLO



5529

Oregon

thickness 8 mm
format 1285 x 192 mm
texture NL
lock Twin Clic

23 32 abrasion class **AC4**

EN 13329 **20** years guarantee anti bacterial comfort **+ A.B.C.** eco-friendly naturally wood

twin clic



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

CASTELLO



K039

Silverside Driftwood

thickness 8 mm
format 1285 x 192 mm
texture GT
lock Twin Clic

23 32 abrasion class **AC4**

EN 13329 **20** years guarantee anti bacterial comfort **+ A.B.C.** eco-friendly naturally wood

twin clic



CASTELLO



K406

Eurus Oak

NEW
in collection

thickness 8 mm
format 1285 x 192 mm
texture NL
lock Twin Clic

23 32 abrasion class **AC4**

EN 13329 **20** years guarantee anti bacterial comfort **+ A.B.C.** eco-friendly naturally wood

twin clic



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus


CASTELLO



K470

Natural
Cashmere Oak

thickness 8 mm
format 1285 x 192 mm
texture GT
lock Twin Clic



NEW




CASTELLO



8072

Nostalgia Oak

thickness 8 mm
format 1285 x 192 mm
texture RF
lock Twin Clic




CASTELLO



K462

Gold Volcano Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock Twin Clic



NEW




CASTELLO



K395

Tornado Oak

thickness 8 mm
format 1285 x 192 mm
texture NL
lock Twin Clic



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus

CASTELLO



K040 Silverside Driftwood

thickness 8 mm
format 1285 x 192 mm
texture GT
lock Twin Clic

23 32 abrasion class **AC4**

EN 13329 **20** years guarantee anti bacterial comfort **+ A.B.C.** eco-friendly naturally wood

twin clic



* The guarantee is valid for domestic use according to the conditions of guarantee. ** Tested germs: Staphylococcus aureus



**Virtual room set-up at
www.krono-original.com**

www.krono-original.com
www.facebook.com/KronoOriginal



K477 Natural Carpenter Oak [VINTAGE]



Product overview

Product	Thick-ness	THERMIC COMFORT		ACOUSTIC COMFORT		USAGE REQUIREMENTS			
		Thermal resistance	Underfloor heating	Walking sound reduction	Impact sound reduction	Durability	Dynamic Load	Unevenness smoothing	Moisture protection*
PUR 2.0	2.0 mm	-	✓✓✓	✓✓	✓✓	✓✓✓	✓✓✓	✓	✓✓✓
WOOD 5.0	5.0 mm	✓✓	-	-	✓✓	✓✓✓	✓✓	✓✓	PE foil required!
XPS 5.0	5.0 mm	✓✓✓	-	✓	✓✓✓	✓✓	✓	✓✓✓	PE foil required!
XPS 2.2 ALU	2.2 mm	-	✓✓	-	✓✓✓	✓✓	✓✓	✓	✓✓✓
Characteristics						✓✓✓ excellent	✓✓ good	✓✓ limited	

* Insulation sealed with aluminium tape

Underlays

Depending on the situation in the room, attention must be paid to the correct underlay material when laying the floorings. For this we offer 4 underlays.




PUR 2.0

This professional acoustic mat consists of mineral fillers and polyurethane binders. PUR 2.0 comes with walking sound reduction, low thermal resistance as well as integrated moisture protection are also impressive features.



WOOD 5.0

The insulation board is made from wood fibres and is particularly suitable for use with uneven subfloors. Because of its high wood content, a PE foil must be laid underneath for moisture protection when installing on a mineral subfloor.



XPS 5.0

5 mm thick panels from extruded polystyrol. Excellent insulating properties and high impact sound reduction. Levels uneven patches of up to 4 mm.



XPS 2.2 ALU

The 2.2 mm thin foldable matt is easy and quick to lay out due to its bonded aluminium layer and the integrated adhesive tape.


XPS 5.0 [UNDERLAY]

Skirting boards


Choose from a range of skirting in various decors to suit all KronoOriginal® floors. Our clever fixing system makes it quick and simple to achieve a perfect installation. Please find here a small selection of our skirting.



K40C
2600 x 40 x 19 mm




K58C
2600 x 58 x 18 mm



Trendy skirting board, shaped
2600 x 58 x 17 mm
2600 x 70 x 17 mm
2600 x 100 x 17 mm

Mounting parts

Suitable for various skirting boards.



15 meter skirting boards can be easily and professionally fitted with the contents of one packet. The set is supplied complete with screws and wall plugs.

Corner pieces

Available for skirting systems K40C and K58C.



External corner | Internal corner | End cap
Coloured corners available in white, beige, grey, silver and dark brown.

Further laying accessories, cleaning and reparation sets, moldings and profiles you will find in our accessories catalogue.

Floor profiles

Floor profiles enable you to create smooth crossovers between different rooms or floorings. End profiles also ensure perfect edge finishes. Please find here a small selection of our profiles.



Transition profile
For level floorings. For screw or click-in fixing. Available in the following metallic finishes: stainless steel, silver and sand brushed.
900 mm or 2700 mm



End profile
For clean finishes and joints at walls and other boundaries. Available in the following metallic finishes: stainless steel, silver and sand brushed.
900 mm or 2700 mm



Ramp profile
For different level floorings. For screw or click-in fixing. Available in the following metallic finishes: stainless steel, silver and sand brushed.
900 mm or 2700 mm

Packaging information

Product	Plank Size	Thickness	Planks/Pack.	m ² sq ft/Pack.	Weight/Pack. [kg lbs]	Pack./Pallet = m ² sq ft
ATLANTIC 12	1285 x 192 mm 50½" x 7½"	12 mm ½"	6	1.48 15.93	15 34	52 = 77 828
ATLANTIC 8	1285 x 192 mm 50½" x 7½"	8 mm ⅝"	9	2.22 23.89	15 34	52 = 115 1242
VINTAGE	1285 x 192 mm 50½" x 7½"	10 mm ⅜"	7	1.73 18.58	15 33	52 = 90 966
IMPRESSIONS	635 x 327 mm 25" x 12⅞"	8 mm ⅝"	11	2.28 24.58	15 34	32 = 73 786
SUPER NATURAL	1285 x 192 mm 50½" x 7½"	8 mm ⅝"	9	2.22 23.89	15 34	52 = 115 1242
CASTELLO	1285 x 192 mm 50½" x 7½"	8 mm ⅝"	9	2.22 23.89	15 34	52 = 115 1242




Made by Kronospan

Get the Krono Decor App now!



Available in Apple App Store and Google Play.

This app provides an extensive overview of all flooring designs in the KronoOriginal® collection. Get information on different products, sizes and dimensions.



www.krono-original.com
www.facebook.com/KronoOriginal



www.kronospan-worldwide.com
info@krono-original.com